



## Miscellaneous models

# Particle Aggregation: FlipCells



Aggregation of moving particles



## Introduction

This models approximates an interacting particle system (IPS) model of particle aggregation. Each black dot represents a particle that moved due to spin flips with random neighbors. The particles perform random walks in which the probability of moving depends on the number of neighboring cells.

## Model description

Each lattice site (white or black) counts the number of particles (black neighboring sites) using a `NeighborsReporter`.

The probability of movement of each particle is made dependent on its number of neighbors by using it in the `Condition of FlipCells`. When this condition is satisfied, the particle changes positions with a random neighboring lattice site.

A `PopulationReporter` is used to return the fraction of isolated black particles. This number is logged and plotted using the `Logger`.

## Things to try

- Change the parameter p.

## Model

h ParticleAggregation.xml |h

```
extern>http://imc.zih.tu-dresden.de/morpheus/examples/Miscellaneous/Particle  
Aggregation.xml
```

In Morpheus GUI: Examples → Miscellaneous → ParticleAggregation.xml

---

From:  
<https://imc.zih.tu-dresden.de/wiki/morpheus/> - **Morpheus**

Permanent link:  
<https://imc.zih.tu-dresden.de/wiki/morpheus/doku.php?id=examples:miscellaneous&rev=1629303169>

Last update: **18:12 18.08.2021**

